

Molecular Evolution

Andrew Torda summer semester 2013, Struktur & Simulation

Why ?

- applications not possible with detailed models

Ingredients in this set of lectures

- models for proteins
 - simple representation - lattices, simple energy functions
- Boltzmann relation and partition function
 - ability to calculate probability of conformations
- definitions from earlier lectures – foldability / stability

Aim

- from very few assumptions
- simulation which reproduces physical properties

Why lattice models ?

Earlier – building models

- how much detail - rather arbitrary

Theme of these lectures

- model to mimic physics
 - simulate the behaviour of a system
- minimal model
 - what observables can I reproduce with which features in the model ?

Here – minimal models

- one does not need serious chemistry to reproduce protein properties
- evolutionary pressure may not be real

Plan

- generalities
 - sources of evolutionary pressure
 - example of unexpected evolutionary pressures (Darwinian)
 - neutral networks
 - another molecular consequence (not so Darwinian)
-
- calculations which can only be done on idealised systems
 - two example papers – in stine

Evolution observables

In the real world, not much


- phenotypes
 - blue eyes, brown eyes (macroscopic)
 - different proteins (molecular)
- genotypes (with more effort)
- population properties
- consequence ?
 - mostly look at evolution in terms of pressure on phenotypes
 - classic adaptive Darwinism

First:

- a property to be explained later

Haemoglobin conservation

Look at residues 37, 43, 83 and 87




4 residues (maybe more) stand out as conserved

Sequence variability

- take family of related sequences
 - see how conserved / variable they are
- variable sites
 - are they unimportant ?

- remember this picture !

- return to Darwinism



Adaptive Darwinism

- I see a fish which lives behind a rock and eats seaweed
- A mouse is just the right size to squeeze through the hole in my wall
- Voltaire (1694-1778)

Master Pangloss taught ..

dass in dieser besten aller möglichen Welten, ...

„Es ist erwiesen“ sagte er, „dass die Dinge nicht anders sein können: denn da Alles zu einem Zweck geschaffen worden, ist Alles notwendigerweise zum denkbar besten Zweck in der Welt. Bemerken Sie wohl, dass die Nasen geschaffen wurden, um den Brillen als Unterlage zu dienen, und so tragen wir denn auch Brillen“

Two aspects

- adaptation to glasses (evolution is directed)
- best of all possible worlds (we / the world are optimised)

Optimality

- spirit of Kimura (neutral evolution)
- You mutate and it has no effect
- Will it become part of the genetic pool ? (fixation)
- Small population ? Maybe
- Big population ? Less likely
 - $\frac{1}{2N_e}$ for some effective population N_e
- What if the mutation is a tiny bit harmful ? costs s
 - no problem
- Result ? Lots of small, slightly deleterious mutations - OK

Classic Darwinism – molecular level

Obvious pressures

- function
- stability

Less obvious, but simple

- folding

Stability (first version)

- I must be stable at room temperature
- proteins in us must evolve to be stable under different conditions (organelles)
- extreme examples – bacteria
 - thermophiles, acidophiles, halophiles, ...
- proteins are not really very stable

Function

More difficult to explain

- how does a sugar enzyme change to a muscle protein ?
- almost must have redundant copies of function
 - if one is broken, you do not die

Consequence

- we are not "optimal"

Experiment

- make "knockout" animals to look at function
- results are often not clear
 - prion proteins (verrückte Kuh Krankheit / Mäuse)

Folding

Subtle phenotype

- we cannot look at a population and see it
- we can simulate it intuitively plausible



configurations



configurations

less obvious

- composition of proteins
 - trp costs far more energy to make than gly or ala
 - this is an observable phenotype
- DNA base pair composition
- ...

Other evolutionary pressures

Is it good to be resistant to mutation ?

- what if a gamma ray hits me and my children die ?
- more formally
 - a sequence (protein) is more likely to propagate if
 - it can be changed
 - it keeps functioning
- can this be modelled ?

Plan :

- be Darwinian
- (later) show why it is probabilistic (not Darwinian)

Simulating mutation resistance

Lattice simulations

- 25 residues, 2 dimensional, compact, 5×5 lattice
- 20 residue types
- 1081 conformations
- remember we can calculate Z and stability
- for any sequence can say
 - will this sequence fold or not ? ΔG_{fold}
 - how different is lowest energy to other energies
- too big to check all sequences

Example calculation

- look at differences with and without evolution

Example evolution calculation


Evolution simulation

- apply mutations infrequently / randomly
- sequence must maintain
 - same structure
 - foldability
- for each member of population
 - check lowest energy configuration
 - if it has changed – sequence dies
 - check ΔG_{fold}
 - if sequence is not foldable – dies
 - of remaining sequences, randomly pick for reproduction

Comparing populations

Take a sequence which folds

- copy 3 000 times – initial population



Properties to look at

- How often does a mutation make a protein more stable ?
- How often does
 - a stable protein become more stable ? (not often)
 - an unstable protein become more stable ? (must be higher)
- Do the fractions differ between
 - random sequences (right hand side previous Folien)
 - evolved sequences (left hand side)
- For some protein we know ΔG
- From simulation look at proteins with some ΔG
 - after mutation get new ΔG
 - look at large number of mutations, get probability $P(\Delta \Delta G > 0)$ of becoming even less stable

What do you expect ?

Evolved sequences must be more stable than random ones


Will they also be more resistant to mutations ?

- if they were not, they would die

Simulation results

Take a sequence and have a look

- when it mutated and survived
 - how often did it become less stable $P(\Delta \Delta G > 0)$?




Interpreting results

random sequence

- unstable $\Delta G > 0$
 - not easy to make more stable
- stable ? $\Delta G < 0$
 - all mutations make it

evolved sequence


- very stable ?
 - cannot make better
- marginally stable ?
 - mutations often OK



Results explanation

Without explicitly adding idea

- evolution makes
 - more stable proteins
 - proteins which survive mutations



Agree with experiment ?


- small amount of the time
 - mutations have no effect
 - make protein more stable than natural version

Sequence variability interpretation

- Typical part of sequence analysis
- look at collection of related sequences and see how conserved they are (conservation, profiles, sequence entropy, ..)

- Why are some sites so well conserved ?
- Why do some sites vary ?

variability



- old view: they do not matter
- this paper
 - this is a consequence of evolution
- if they are important and fragile, you die

Subtle evolutionary pressure ?

Is this an evolutionary pressure ?

- seems like a good idea to not die when mutated
- authors argue that the reason is different
- neutral evolution ...

so far

- very simple lattice model reproduces
- stability, evolutionary pressures
- now .. background for neutral evolution

Neutral evolution

Classical view (selective adaptation) explains life

- we are always trying to adapt to each other, environment ...
- there is some diversity when there is no cost (blue / brown eyes)

Alternative

- most mutations have no effect (neutral)
- if they far outnumber the selected mutations, they will dominate

Macroscopic

- brown eyes versus blue – not so surprising
- microscopic / molecular ?

Neutral evolution

- consequences ?
- predictions ?
- predictions at molecular level / simulations

Background of neutral evolution

DNA level (obvious)

- 64 codons / 20 amino acids / much redundancy
 - CUG / CUC both ile (+ many more)
- lots of mutations have no (not much) effect

Protein

- bit less clear
- we can change amino acids and
 - preserve structure
 - often function

Net effect

- we can make many mutations
- some do not affect the protein
- some protein effects are very small

Simulating at the molecular level

Basic idea

- take a population (maybe 10^3 or as big as possible)
 - make random changes
 - look at consequences
 - kill or reproduce molecules


Most popular

- RNA
 - for a given mutation, can guess at secondary structure
- Proteins
 - lots of lattice calculations

Simulation machinery

HP model in two dimensions

- length 18
 - one can look at all sequences
 - all conformations
 - ... for any sequence
 - can find minimum energy structure
 - for any structure
 - we can find all sequences which have this as minimum energy
-



Calculations

Find popular structures

- which is best for many sequences
- collect these sequences
 - neutral set

Neutral mutations

- which of these sequences are connected by a point mutation?
- example
 - $\text{HPHP}\mathbf{H}\text{HH} \dots$ and $\text{HPHP}\mathbf{P}\text{HH} \dots$ have same ground state
 - they are connected by one change
 - this change does not cost anything in evolution
 - it is "neutral"
 - in pictures...

Neutral mutations

Look at sites which can be changed


- many possible sequences

Can one mutate each to every other ?

- HPHP**HH**H . . and HPHP**PP**H are not connected

What can we say about the connected sequences ?

- form connected sets




▲ sites where neutral mutations were found


- HPHP**HH**H and HPHP**PP**H may be a set, but not connected

Connected and non-connected sets

Each dot is one protein sequence/structure



neutral set with two
connected sets



neutral set and
connected set

Neutral networks

Sequences which can turn into each other are "neutral network"


How big are the neutral sets ?

- about $\frac{1}{4}$ have more than 5 sequences
- most popular has 48 sequences
- lots of very rare structures

Are these sets fully connected ?

(can anyone eventually mutate into anyone else) ?

- about 80 % of time



Evolutionary consequences

- a population can quickly spread over a huge number of accessible sequences
- immense variation at molecular level is possible
- Can one hop between different connected networks ?
 - in this model – not so easily (≥ 2 mutations)


More interesting consequences

- some structures are hard to find by random moves
- some are very popular
- what does this say about mutation study ?

Mutation resistance revisited

Earlier slides



- it seems as if proteins evolve in order to be resistant to mutations (sounds Darwinian)
- Alternative
 - think of sequence space
 - a group of related sequences are a cluster in this space





Networks, probabilities, mutation resistance

huge network

1000's sequences



- mutate to here 
 - seems mutation resistant
 - lots of possibilities to mutate and maintain structure
 - more likely to be found (more sequences)
- mutate here ? likely to die 

Darwinian versus neutral evolution

- Crux of these lectures
- Darwinian evolution – what you see is
 - most fit (selection pressure)
- Neutral evolution – what you see is
 - whatever is most likely to occur
- Relevance to mutation resistance
 - Darwinian
 - useful trait that will be selected for
 - Neutral
 - larger neutral networks
 - by definition – mutation tolerant
 - because they are larger, more likely to be found

Simple models and lattice models


- details (numbers) are not so vital
- problem is made tractable by use of simple model

Protein stability

more work from same group*

Most proteins are NOT very stable ($5 - 10 \text{ kcal mol}^{-1}$)

- claims:
 - less stable, more flexible
 - easier to have chemical function



Another model calculation

- 5×5 lattice 1081 conformations
- 20 amino acid types
- cannot visit all sequences, can visit all structures
- use a definition of foldable

$$\Delta G_{folding} = E_f + kT \ln \left(Z - \exp \left(\frac{-E_f}{kT} \right) \right)$$

3 simulations

1. long walk of one sequence
2. population
3. random sequences

Sidetrack for arguments

Goldstein's formula

- p_f probability of folded state $p_f = \frac{\exp\left(\frac{-E_f}{kT}\right)}{Z}$
- p_u probability of unfolded state
 - probability all states (1)– probability of folded

$$p_u = \frac{\sum_i \exp\left(\frac{-E_i}{kT}\right) - \exp\left(\frac{-E_f}{kT}\right)}{Z}$$

$$\begin{aligned} \frac{p_f}{p_u} &= \frac{\exp\left(\frac{-E_f}{kT}\right)}{\sum_i \exp\left(\frac{-E_i}{kT}\right) - \exp\left(\frac{-E_f}{kT}\right)} \\ &= \frac{\exp\left(\frac{-E_f}{kT}\right)}{Z - \exp\left(\frac{-E_f}{kT}\right)} \end{aligned}$$

Getting free energy expression

$$\begin{aligned}\Delta G &= -kT \ln \left(\frac{p_f}{p_u} \right) \\&= -kT \ln \left(\frac{\exp \left(\frac{-E_f}{kT} \right)}{Z - \exp \left(\frac{-E_f}{kT} \right)} \right) \\&= -kT \ln \exp \left(\frac{-E_f}{kT} \right) + kT \ln \left(Z - \exp \left(\frac{-E_f}{kT} \right) \right) \\&= E_f + kT \ln \left(Z - \exp \left(\frac{-E_f}{kT} \right) \right)\end{aligned}$$

Simulation (long walk)

- Take viable sequence
- mutate
 - if (foldable)
 - keep
 - else
 - retain old sequence

Simulation (population)

- Take 3 000 identical sequences
- mutate
- calculate $\Delta G_{folding}$ for all members
- kill (remove) non-folders
- copy random survivors to keep population at 3 000



Stability of results

What is the result

- from random sequences ? (left)
- from a long walk (right A)
- from a population (right B)

Sequences become more stable

- but barely so



Where does the population result come from ?

Proteins die if they are unstable


- the population moves to folding sequences (this is selected)
- there is no force to make them more stable
- high dimensional object arguments / population phenomena
 - explain the population result

dimensions / surface area

1D



2D




- 3D more near surface
- ...
- high-D most of volume is near surface
- dimensionality of sequence space ?

Walk versus Population


High dimensional objects

- high proportion near to surface



long walk

- sequences bounce around near surface



population



- sequences near surface removed, others reproduce

Population acts as if there is a sink removing most unstable proteins



Results give marginally stable proteins

- no mention of function
- arguments purely statistical

Analogy evolution and free energy



evolutionary version



- evolution is adaptive, but subject to statistical effects
- statistical effects may look like evolutionary pressures (mutation resistance, stability)

Summary

Neutral evolution began in the late 1960's

- nicest evidence from simple simulations

Molecular models can be applied in unexpected places

We interpret the world in terms of observables (numbers, colours, stability, ...)

- this may be over-interpretation

First lattice lectures

- one can do Monte Carlo simulations

Now

- there are other types of simulation